

MIRRORS DOWE





ISO 9001:2000









Dome shaped mirror is widely used for surveillance purposes in retail and industrial environments.

- Dome mirror prevent accident at blind corners intersection, entrance and exit
- · Dome mirrors provide surveillance of premises, merchandise, assembly line, production machine and staff.
- Dome mirrors are inexpensive and dependable element for factory or warehouse safety and they are completely maintenance free, aside general cleaning.
- Dome mirror are use as a deterrent to pilferage and vandalism.
- · Acrylic Dome mirrors are lightweight product with very high impact resistance and very good durability.

All mirrors are individually packed with 'Installation instructions'.

Dome mirrors are offered in Acrylic, Scratch Resistant Acrylic and Polycarbonate. Choose a mirror with the lens and backing, which suits your application.

Scratch-resistant acrylic mirrors:

have a special coating which allows them to be cleaned like glass without scratching or fogging. Polycarbonate Dome Mirrors:

Virtually Unbreakable and fire resistant, Used in area, where high vandalism is expected.

Full domes are available in 3 different backing.

No Backing: Dome comes with mounting holes drill on the flange.

Foam back: Dome has Polyurethane foam sprayed on the back, which gives mirror an extra strength. Also a 180° and 90° dome comes with spring attachment for easy installation.

Galvanized Steel Back: Domes comes with galvanized steel back seal with Edge trim.

It provides protection against debris collecting and destroying mirror.

FULL DOME - 360° DOME

The curvature of the VISION Dome mirror is specifically designed to maximize useable viewing areas. The full dome is suspended from the ceiling and provides a 360° view.

Dia	Acrylic	Foam Back	Galvanized Steel Back	Scratch Resistance	S/R With G. SteelBack
18"	D1800	DF1800	DGS1800	DSR1800	DSRGS1800
26"	D2600	DF2600	DGS2600	DSR2600	DSRGS2600
30"	D3000	DF3000	DGS3000	DSR3000	DSRGS3000
36"	D3600	DF3600	DGS3600	DSR3600	DSRGS3600
48"	D4800	DF4800	DGS4800	DSR4800	DSRGS4800













Convex outdoor mirrors:

Outdoor mirrors have rubber rim and tempered hardboard backing for weather proofing. Bigger size glass convex comes with two mounting hardware.

Dia	Acrylic Indoor	Scratch resistance Acrylic Indoor	Polycarbonate Indoor	Glass Indoor
8"	008000	SR0C8000		G0C8000
12"	OC 1200	SR0C1200	PC0C1200	GOC1200
18"	001800	SR0C1800	PC0C1800	G0C1800
26"	OC 2600	SR0C2600	PC0C2600	GOC2600
30"	OC 3000	SR0C3000	PC0C3000	GOC3000
36"	OC 3600	SR0C3600	PC0C3600	G0C3600
48"	004800	SR0C4800		G0C4800





VISION METALIZERS INC. 3611 Mavis Road, #8-11 Mississauga, Ontario, Canada L5C 1T7

TEL. (905) 272-4044 FAX. (905) 272-0083

E-MAIL

General Inquiries: info@visionmetalizers.com

Sales Inquiries: sales@visionmetalizers.com

Support/Service Inquiries: support@visionmetalizers.com

Graphic design by: New Design Group www.newdesigngroup.c.

QUARTER DOME - 90° DOME



Quarter dome mirrors are best used for two-way intersections.

Dia	Acrylic	Acrylic with ABS back	Scratch Resistance
18"	Q1814	QF1814	QSR1814
26"	Q2614	QF2614	QSR2614
30"	Q3014	QF3014	QSR3014
36"	Q3614	QF3614	QSR3614
48"	Q4814	QF4814	QSR4814

DROP CEILING DOME



Installs easy without tools. Ideal for premises with low ceiling.

Easily fits into any opening by simply removing the existing tile.

Size	Acrylic	Scratch Resistance	Bronze Dome
2'x2'	DC22	DCSR22	BRDC22
2'x '4	DC24	DCSR24	BRDC24

TWO WAY MIRRORED DOME:

VISION two way mirror domes (see-through), allow minimum light loss for camera usage. Available in all standard dome sizes. It hides camera and allows surveillance.